

Message

From: Wagner, Christine [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=12068C1889924ECF96F692831F0C77D4-CWAGNE02]
Sent: 8/1/2022 6:03:50 PM
To: **Nonresponsive based on revised scope**
Subject: RE: Shiloh Church Road Removal TD

Nonresponsive based on revised scope

I will try to call after 3:30

From: **Nonresponsive based on revised scope**
Sent: Wednesday, August 03, 2022 6:32 PM
To: Wagner, Christine <Wagner.Christine@epa.gov>
Subject: Re: Shiloh Church Road Removal TD

I will be available tomorrow afternoon to discuss. I do have one call scheduled from 2:30-3:30 but I can be reached any time before or after that time.

Nonresponsive based on revised scope

Tetra Tech | Complex World, Clear Solutions™ | EMI Northeast Operations
661 Andersen Dr Ste. 200 Pittsburgh, PA 15220 | tetrattech.com

This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

From: Wagner, Christine <Wagner.Christine@epa.gov>
Sent: Wednesday, August 3, 2022 5:49:11 PM
To: **Nonresponsive based on revised scope**
Subject: Re: Shiloh Church Road Removal TD

CAUTION: This email originated from an external sender. Verify the source before opening links or attachments.

Nonresponsive based on revised scope

This info is very helpful. Let's talk very soon. Are you available for a call tomorrow afternoon? We have to get out and sample one residence asap

Thanks
Chris

On Aug 3, 2022, at 5:36 PM, **Nonresponsive based on revised scope** wrote:

Evening Chris,

I wanted to provide you with the total Tt START costs for the RV code TDs. Shiloh had four separate TDs, two were RS coded and two were RV coded. **Nonresponsive based on revised scope** I'd like to setup a call to discuss the site with you, but wanted to provide you the information you requested in the SOW before the deadline listed in the new Shiloh Church Road TD.

Nonresponsive based on revised scope

Tetra Tech | *Complex World, Clear Solutions™* | EMI Northeast Operations
661 Andersen Dr Ste. 200 Pittsburgh, PA 15220 | tetratech.com

This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

From: **Nonresponsive based on revised scope**

Sent: Wednesday, August 3, 2022 2:38 PM

To: Wagner, Christine <Wagner.Christine@epa.gov>

Subject: Shiloh Church Road Removal TD

Afternoon Chris,

Loni and I discussed the new TD for the Shiloh site. I'm happy to take on the project and work with you on the site. I'm pulling the financial information now to get you total costs for the RV coded TDs by August 5, 2022.

Tetra Tech still has a HASP on file that includes the sampling of residential wells. I'll work to have the sample coordinator begin drafting an ARF for the groundwater sampling event that needs to take place ASAP.

I'm available to discuss the site background, scheduling fieldwork, and site visit all this week.

I look forward to hearing from you.

Thanks,

Nonresponsive based on revised scope

Tetra Tech | *Complex World, Clear Solutions™* | EMI Northeast Operations
661 Andersen Dr Ste. 200 Pittsburgh, PA 15220 | tetratech.com

This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.



Please consider the environment before printing. [Read more](#)

